

2 Inch Rubber Diaphragm 08-1010-52 for Wilden Air Operated Diaphragm Pump

Product Description:

The 2 Inch Rubber Diaphragm 08-1010-52 is a genuine replacement part for Wilden Air Operated Diaphragm (AOD) pumps, designed to provide superior performance and reliability in various industrial applications.

Constructed from high-quality Buna-N elastomer, this diaphragm ensures resistance to chemicals, oils, and high temperatures, making it ideal for demanding environments. Its OEM compatibility ensures that it integrates seamlessly with Wilden pumps, delivering efficient fluid transfer and long-lasting durability.

Product Details:

- SKU: 08-1010-52
- Brand: Wilden
- Unit: SET
- Barcode Type: C128
- Available at: Altools Services
- Category: Industrial Pump
- Subcategory: Wilden Pump
- Manage Stock: Yes
- Reorder Quantity: --
- Expires In: Not Applicable
- Applicable Tax: None
- Selling Price Tax Type: Exclusive
- Product Type: Single

Key Features:

- Genuine OEM Replacement: Ensures compatibility with Wilden AOD pumps for seamless performance.
- Buna-N Elastomer Construction: Offers excellent resistance to oils, chemicals, and extreme temperatures.
- High Temperature Resistance: Can withstand temperatures ranging from 10°F to 180°F without compromising functionality.
- Enhanced Durability: Long-lasting diaphragm minimizes downtime and maintenance costs.
- Wetted Path Material: Undefined for versatile industrial fluid applications.
- Connection Inlet Size: Suitable for pumps with a 2" (51 mm) inlet connection size.
- Clamped and Bolted Construction: Secure installation and easy maintenance.
- Diaphragm Design: Features a primary diaphragm construction for optimized fluid transfer.
- Lightweight: Weighs under 2 lbs (0.9 kg) for easy handling and installation.
- ISO 9001:2015 Certified: Certified for quality and reliability in industrial use.

Technical Specifications:

- Model Number: 08-1010-52 (F)
- Material: Buna-N (Nitrile) elastomer
- Color: Black
- Shape: As shown in the product image
- Certification: ISO 9001:2015
- Application: Designed for use in Wilden air-operated diaphragm pumps
- Size: 2 inch
- Lower Temperature Limit: 10°F
- Upper Temperature Limit: 180°F
- Product Weight: Under 2 lbs (0.9 kg)

Applications:

- Chemical Processing
- Oil & Gas
- Water Treatment
- Mining
- Pharmaceuticals
- Food & Beverage Processing

About the Supplier:

Lystus Technical Nig Limited is the authorized distributor of Wilden products and accessories in Nigeria. We provide high-quality, genuine parts for industrial pump systems, ensuring that your equipment functions efficiently and reliably. Our commitment to providing authentic Wilden components ensures that your operations remain smooth, reducing downtime and enhancing productivity.